L Number	Hits	Search Text	DB	Time stamp
-	79	(455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))	USPAT; US-PGPUB; EPO; JPO	2003/06/05 10:58
-	42	((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))) and @ad<=20000128	USPAT; US-PGPUB; EPO; JPO	2003/05/16 11:02
-	3	("4901307" or "5103459" or "5267261").pn.	USPAT; US-PGPUB; EPO; JPO	2003/05/14 14:20
-	28	(455/436,437,442; 370/328,331,338).ccls. and (PPP or (point adj "to" adj "point" adj protocol)) and (PDSN or (packet adj data adj service adj node)) not ((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled)))))	USPAT; US-PGPUB; EPO; JPO	2003/05/15 11:20
-	1	(PPP or (point adj "to" adj "point" adj protocol)) and (PDSN or (packet adj data adj service adj node)) and @ad<=20000104 not (((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))) or ((455/436,437,442; 370/328,331,338).ccls. and (PPP or (point adj "to" adj "point" adj protocol)) and (PDSN or (packet adj data adj service adj node)) not ((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled)))))))	USPAT; US-PGPUB; EPO; JPO	2003/05/15 11:24

-	3380	(PPP or (point adj2 point adj protocol)) and @ad<=20000104 not (((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))) or ((455/436,437,442; 370/328,331,338).ccls. and (PPP or (point adj "to" adj "point" adj protocol)) and (PDSN or (packet adj data adj service adj node)) not ((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled)))))) or ((PPP or (point adj "to" adj "point" adj protocol)) and (PDSN or (packet adj data adj service adj node)) and @ad<=20000104 not (((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))) or ((455/436,437,442; 370/328,331,338).ccls. and (PPP or (point adj "to" adj "point" adj protocol)) and (PDSN or (packet adj data adj service adj node)) not ((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled)))))))))	USPAT; US-PGPUB; EPO; JPO	2003/05/15 11:24

| | | 0 | ((PPP or (point adj2 point adj protocol)) and @ad<=20000104 not (((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))) or ((455/436,437,442; 370/328,331,338).ccls. and (PPP or (point adj "to" adj "point" adj protocol)) and (PDSN or (packet adj data adj service adj node)) not ((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled)))))) or ((PPP or (point adj "to" adj "point" adj protocol)) and (PDSN or (packet adj data adj service adj node)) and @ad<=20000104 not (((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))) or ((455/436,437,442; 370/328,331,338).ccls. and (PPP or (point adj "to" adj "point" adj protocol)) and (PDSN or (packet adj data adj service adj node)) not ((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))))))))) and (PDSN or (packet adj data adj service adj node)) | USPAT; US-PGPUB; EPO; JPO | 2003/05/15 11:24 |

		13	(PDSN or (packet adj data adj service adj node)) and @ad<=20000104 not (((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))) or ((455/436,437,442; 370/328,331,338).ccls. and (PPP or (point adj "to" adj "point" adj protocol)) and (PDSN or (packet adj data adj service adj node)) not ((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled)))))) or ((PPP or (point adj "to" adj "point" adj protocol)) and (PDSN or (packet adj data adj service adj node)) and @ad<=20000104 not (((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))) or ((455/436,437,442; 370/328,331,338).ccls. and (PPP or (point adj "to" adj "point" adj protocol)) and (PDSN or (packet adj data adj service adj node)) not ((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))))))))))	USPAT; US-PGPUB; EPO; JPO	2003/06/04 16:21
		79	(455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))	USPAT; US-PGPUB; EPO; JPO	2003/05/16 11:02
		42	((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))) and @ad<=20000128	USPAT; US-PGPUB; EPO; JPO	2003/05/16 11:02

| | | 13 | (PDSN or (packet adj data adj service adj node)) and @ad<=20000104 not (((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))) or ((455/436,437,442; 370/328,331,338).ccls. and (PPP or (point adj "to" adj "point" adj protocol)) and (PDSN or (packet adj data adj service adj node)) not ((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled)))))) or ((PPP or (point adj "to" adj "point" adj protocol)) and (PDSN or (packet adj data adj service adj node)) and @ad<=20000104 not (((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))) or ((455/436,437,442; 370/328,331,338).ccls. and (PPP or (point adj "to" adj "point" adj protocol)) and (PDSN or (packet adj data adj service adj node)) not ((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled)))))))))) | USPAT; US-PGPUB; EPO; JPO | 2003/05/16 11:03 |

| | | 3 | (packet adj control adj function) and @ad<=20000104 not (((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))) or (((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))) and @ad<=20000128) or ((PDSN or (packet adj data adj service adj node)) and @ad<=20000104 not (((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))) or ((455/436,437,442; 370/328,331,338).ccls. and (PPP or (point adj "to" adj "point" adj protocol)) and (PDSN or (packet adj data adj service adj node)) not ((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled)))))) or ((PPP or (point adj "to" adj "point" adj protocol)) and (PDSN or (packet adj data adj service adj node)) and @ad<=20000104 not (((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))) or ((455/436,437,442; 370/328,331,338).ccls. and (PPP or (point adj "to" adj "point" adj protocol)) and (PDSN or (packet adj data adj service adj node)) not ((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled)))))))))))) | USPAT; US-PGPUB; EPO; JPO | 2003/05/16 11:05 |

| - | 1162 | (PTP or "P2P" or (point adj "to" adj point)) and @ad<=20000104 not (((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))) or (((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))) and @ad<=20000128) or ((PDSN or (packet adj data adj service adj node)) and @ad<=20000104 not (((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))) or ((455/436,437,442; 370/328,331,338).ccls. and (PPP or (point adj "to" adj "point" adj protocol)) and (PDSN or (packet adj data adj service adj node)) not ((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled)))))) or ((PPP or (point adj "to" adj "point" adj protocol)) and (PDSN or (packet adj data adj service adj node)) and @ad<=20000104 not (((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))) or ((455/436,437,442; 370/328,331,338).ccls. and (PPP or (point adj "to" adj "point" adj protocol)) and (PDSN or (packet adj data adj service adj node)) not ((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))))))))))) or ((packet adj control adj function) and @ad<=20000104 not (((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))) or (((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in | USPAT; US-PGPUB; EPO; JPO | 2003/05/16 11:07 |

| - | 0 | ((PTP or "P2P" or (point adj "to" adj point)) and @ad<=20000104 not (((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))) or (((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))) and @ad<=20000128) or ((PDSN or (packet adj data adj service adj node)) and @ad<=20000104 not (((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))) or ((455/436,437,442; 370/328,331,338).ccls. and (PPP or (point adj "to" adj "point" adj protocol)) and (PDSN or (packet adj data adj service adj node)) not ((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled)))))) or ((PPP or (point adj "to" adj "point" adj protocol)) and (PDSN or (packet adj data adj service adj node)) and @ad<=20000104 not (((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))) or ((455/436,437,442; 370/328,331,338).ccls. and (PPP or (point adj "to" adj "point" adj protocol)) and (PDSN or (packet adj data adj service adj node)) not ((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled)))))))))) or ((packet adj control adj function) and @ad<=20000104 not (((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))) or (((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in | USPAT; US-PGPUB; EPO; JPO | 2003/05/16 11:08 |

| - | 624 | ((PTP or "P2P" or (point adj "to" adj point)) and @ad<=20000104 not (((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))) or (((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))) and @ad<=20000128) or ((PDSN or (packet adj data adj service adj node)) and @ad<=20000104 not (((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))) or ((455/436,437,442; 370/328,331,338).ccls. and (PPP or (point adj "to" adj "point" adj protocol)) and (PDSN or (packet adj data adj service adj node)) not ((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled)))))) or ((PPP or (point adj "to" adj "point" adj protocol)) and (PDSN or (packet adj data adj service adj node)) and @ad<=20000104 not (((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))) or ((455/436,437,442; 370/328,331,338).ccls. and (PPP or (point adj "to" adj "point" adj protocol)) and (PDSN or (packet adj data adj service adj node)) not ((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))))))))) or ((packet adj control adj function) and @ad<=20000104 not (((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))) or (((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in | USPAT; US-PGPUB; EPO; JPO | 2003/05/16 11:08 |

| | 37 | (((PTP or "P2P" or (point adj "to" adj point)) and @ad<=20000104 not (((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))) or (((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))) and @ad<=20000128) or ((PDSN or (packet adj data adj service adj node)) and @ad<=20000104 not (((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))) or ((455/436,437,442; 370/328,331,338).ccls. and (PPP or (point adj "to" adj "point" adj protocol)) and (PDSN or (packet adj data adj service adj node)) not ((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled)))))) or ((PPP or (point adj "to" adj "point" adj protocol)) and (PDSN or (packet adj data adj service adj node)) and @ad<=20000104 not (((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))) or ((455/436,437,442; 370/328,331,338).ccls. and (PPP or (point adj "to" adj "point" adj protocol)) and (PDSN or (packet adj data adj service adj node)) not ((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))))))))) or ((packet adj control adj function) and @ad<=20000104 not (((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in use" or enabled))))) or (((455/436,437,442; 370/328,331,338).ccls. and ((list$3 or table$1 or messag$3) with (dormant or inactive or disabled or deactivat$2 or ("not" adj (working or functional or active or "in | USPAT; US-PGPUB; EPO; JPO | 2003/05/16 14:34 |

-	44	PPP near3 table	USPAT; US-PGPUB; EPO; JPO	2003/05/16 14:35
-	32	(PPP near3 table) and @ad<20000104	USPAT; US-PGPUB; EPO; JPO	2003/05/16 14:35
-	17	(PPP or (point adj "to" adj point)) with (session with request$3) and mobile	USPAT; US-PGPUB; EPO; JPO	2003/05/19 10:40
-	83	(455/436,437,442; 370/328,331,338).ccls. and (session with request$3) and Internet	USPAT; US-PGPUB; EPO; JPO	2003/05/19 11:53
-	21	((455/436,437,442; 370/328,331,338).ccls. and (session with request$3) and Internet) not ((PPP or (point adj "to" adj point)) with (session with request$3) and mobile) and @ad<20000401	USPAT; US-PGPUB; EPO; JPO	2003/05/19 11:54
-	1	PDSN and PPP and @ad<=20000104	USPAT; US-PGPUB; EPO; JPO	2003/05/28 14:37
-	0	PDSN and PPP and radio and (inactive or dormant) and @ad<=20000104	USPAT; US-PGPUB; EPO; JPO	2003/06/04 16:22
-	1	PDSN and PPP and radio and @ad<=20000104	USPAT; US-PGPUB; EPO; JPO	2003/06/04 16:24